Available online at www.sciencedirect.com
SCIENCE DIRECT®
Optics Communications 234 (2004) 445–450
OPTICS COMMUNICATIONS
www.elsevier.com/locate/optcom

# Author index to volume 234

Adzir Mahdi, M. and S.-J. Sheih, Gain-flattened extended L-band EDFA with 43 nm bandwidth suitable for high signal powers 234 (2004) 229
Al-Omari, S., see Ermilov, E.A. 234 (2004) 245
Alegria, C., see Jeong, Y. 234 (2004) 315
Antón, M.A., F. Carreño and O.G. Calderón, Squeezing spectra in a V-type three-level atom interacting with a broadband squeezed field 234 (2004) 281
Arizmendi, L., see Tebaldi, M. 234 (2004) 43

Backus, E.H.G., S. Roke, A.W. Kleyn and M. Bonn, Cascading second-order versus direct third-order nonlinear optical processes in a uniaxial crystal 234 (2004) 407
Baek, S., see Jeong, Y. 234 (2004) 315
Bolognini, N., see Tebaldi, M. 234 (2004) 43
Bonn, M., see Backus, E.H.G. 234 (2004) 407
Bruner, B., see Yang, S. 234 (2004) 385
Buller, G.S., see Gordeev, N.Y. 234 (2004) 203
Bultynck, H., see Onofri, F. 234 (2004) 183

Calderón, O.G., see Antón, M.A. 234 (2004) 281
Carreño, F., see Antón, M.A. 234 (2004) 281
Chan, K.C., see Tay, C.J. 234 (2004) 77
Chen, S.W., see Chen, Y.F. 234 (2004) 337
Chen, Y.C., see Chen, Y.F. 234 (2004) 337
Chen, Y.F., Y.C. Chen, S.W. Chen and Y.P. Lan, High-power efficient diode-pumped passively Q-switched Nd:$YVO_4$/KTP/$Cr^{4+}$:YAG eye-safe laser 234 (2004) 337
Chen, Y.F., Y.P. Lan and S.W. Tsai, High-power diode-pumped actively Q-switched Nd:YAG laser at 1123 nm 234 (2004) 309
Chen, L., see Zheng, Y. 234 (2004) 107
Chicharo, J.F., see Li, E.B. 234 (2004) 329
Chin, S.L., see Schroeder, H. 234 (2004) 399
Codemard, C., see Jeong, Y. 234 (2004) 315
Culshaw, B., see Zhang, Y. 234 (2004) 435
Cusmai, G., see Melloni, A. 234 (2004) 211
Czajkowski, A., A.A. Madej and P. Dubé, Development and study of a 1.5 μm optical frequency standard referenced to the P(16) saturated absorption line in the ($\nu_1 + \nu_3$) overtone band of $^{13}C_2H_2$ 234 (2004) 259

de Oliveira, F.D. and M.K. Olsen, Mean field dynamics of Bose–Einstein superchemistry 234 (2004) 235

doi:10.1016/S0030-4018(04)00280-9

Demokan, M.S., see Zhang, Y. 234 (2004) 435
Denham, P.E., see Naulleau, P.P. 234 (2004) 53
Dickensheets, D.L., see Qi, B. 234 (2004) 443
Ding, S., see Li, G. 234 (2004) 321
Dittrich, P., G. Montemezzani, M. Habu, M. Matsukura, S. Takekawa, K. Kitamura and P. Günter, Sub-millisecond interband photorefraction in magnesium doped lithium tantalate 234 (2004) 131
Dubé, P., see Czajkowski, A. 234 (2004) 259
Dwayne Miller, R.J., see Yang, S. 234 (2004) 385

Ehlotzky, F., see Kamiński, J.Z. 234 (2004) 343
Ermilov, E.A., S. Al-Omari, M. Helmreich, N. Jux, A. Hirsch and B. Röder, Steady-state and time-resolved studies on the photophysical properties of fullerene–pyropheophorbide *a* complexes in polar and nonpolar solvents 234 (2004) 245

Fan, H.-y., N.-q. Jiang and H.-l. Lu, A new representation for two-mode squeezed states 234 (2004) 277
Fang, X.H., see Zhang, Y. 234 (2004) 435
Fatome, J., S. Pitois and G. Millot, Influence of third-order dispersion on the temporal Talbot effect 234 (2004) 29
Foster, D.H. and J.U. Nöckel, Methods for 3-D vector microcavity problems involving a planar dielectric mirror 234 (2004) 351
Frączek, E., see Masajada, J. 234 (2004) 23
Frączek, W., see Masajada, J. 234 (2004) 23

Gordeev, N.Y., K.J. Gordon and G.S. Buller, Tunable electro-optic polarization modulator for quantum key distribution applications 234 (2004) 203
Gordon, K.J., see Gordeev, N.Y. 234 (2004) 203
Gordon, M.L., see Qi, B. 234 (2004) 443
Guéring, P.-H., see Onofri, F. 234 (2004) 183
Guerra, E.S., On the complementarity principle and the uncertainty principle 234 (2004) 295
Günter, P., see Dittrich, P. 234 (2004) 131
Gureyev, T.E., see Paganin, D. 234 (2004) 87
Gusarov, A. and F. Liegeois, Experimental study of a tunable fiber ring laser stability 234 (2004) 391

Habu, M., see Dittrich, P. 234 (2004) 131
Hara, H., see Nagasawa, C. 234 (2004) 301
He, Y., X. Hou, L. Qin, Y. Sun, Y. Li, H. Qi and L. Pan, Laser-diode pumped passively Q-switched Nd:$Y_xGd_{1-x}VO_4$ laser with a GaAs saturable absorber 234 (2004) 305
Helmreich, M., see Ermilov, E.A. 234 (2004) 245
Himmer, P.A., see Qi, B. 234 (2004) 443
Hirsch, A., see Ermilov, E.A. 234 (2004) 245
Hizanidis, K., see Kominis, Y. 234 (2004) 193
Ho, H.L., see Zhang, Y. 234 (2004) 435
Hoef, B., see Naulleau, P.P. 234 (2004) 53
Hou, X., see He, Y. 234 (2004) 305
Hua, R., see Yang, S. 234 (2004) 385
Hua, J., see Zhong, Z.Q. 234 (2004) 7

Ichikawa, H. and Y. Sugimoto, Electromagnetic numerical characterisation of a microfresnel lens of millimetre size for a CWDM device 234 (2004) 71
Ikari, T., see Watanabe, Y. 234 (2004) 125
Ishikawa, Y., see Watanabe, Y. 234 (2004) 125
Ito, H., see Watanabe, Y. 234 (2004) 125

Jamshidi-Ghaleh, K. and N. Mansour, Nonlinear refraction measurements of materials using the moiré deflectometry 234 (2004) 419
Jeong, Y., J.K. Sahu, S. Baek, C. Alegria, D.B.S. Soh, C. Codemard and J. Nilsson, Cladding-pumped ytterbium-doped large-core fiber laser with 610 W of output power 234 (2004) 315
Jiang, N.-q., see Fan, H.-y. 234 (2004) 277
Jiarong, L., see Yuanying, C. 234 (2004) 1
Jin, W., see Zhang, Y. 234 (2004) 435
Jin, H., see Yuanying, C. 234 (2004) 1
Jux, N., see Ermilov, E.A. 234 (2004) 245

Kamiński, J.Z. and F. Ehlotzky, Optimized X-ray generation by electron–ion recombination in the presence of powerful laser fields 234 (2004) 343
Karaalioğlu, C. and Y. Skarlatos, Measurement of thin film thickness by electronic speckle pattern interferometry 234 (2004) 269
Kawase, K., see Watanabe, Y. 234 (2004) 125
Kitamura, K., see Dittrich, P. 234 (2004) 131
Kitchen, M., see Paganin, D. 234 (2004) 87
Kleyn, A.W., see Backus, E.H.G. 234 (2004) 407
Kominis, Y. and K. Hizanidis, Continuous wave-controlled shape and chirp oscillations of optical solitons 234 (2004) 193
Kumar, A. and A.K. Sarma, Soliton switching in a Kerr coupler with coupling constant dispersion: a variational analysis 234 (2004) 427
Kuo, L.-S., see Qiu, T. 234 (2004) 163

Labruyère, A., see Tchofo Dinda, P. 234 (2004) 137
Lai, S.R., see Zeng, N. 234 (2004) 153
Lakhtakia, A., see Mackay, T.G. 234 (2004) 35
Lan, Y.P., see Chen, Y.F. 234 (2004) 337
Lan, Y.P., see Chen, Y.F. 234 (2004) 309
Lee, B.W., see Tay, C.J. 234 (2004) 77
Lenoble, A., see Onofri, F. 234 (2004) 183
Lewis, R.A., see Paganin, D. 234 (2004) 87
Li, Z., see Li, L. 234 (2004) 169
Li, L., Z. Li, S. Li and G. Zhou, Modulation instability and solitons on a cw background in inhomogeneous optical fiber media 234 (2004) 169
Li, S., see Li, L. 234 (2004) 169
Li, Y., see He, Y. 234 (2004) 305
Li, G., S. Zhao, H. Zhao, K. Yang and S. Ding, Rate equations and solutions of a laser-diode end-pumped passively Q-switched intracavity doubling laser by taking into account intracavity laser spatial distribution 234 (2004) 321
Li, E.B., J. Xi and J.F. Chicharo, Characteristics of a UV beam generated by a frequency doubled Ar-ion laser 234 (2004) 329

Liao, Y.B., see Zeng, N. 234 (2004) 153
Liegeois, F., see Gusarov, A. 234 (2004) 391
Lü, B., see Pan, L. 234 (2004) 13
Lu, H.-l., see Fan, H.-y. 234 (2004) 277

Mackay, T.G. and A. Lakhtakia, A limitation of the Bruggeman formalism for homogenization 234 (2004) 35
Madej, A.A., see Czajkowski, A. 234 (2004) 259
Mansour, N., see Jamshidi-Ghaleh, K. 234 (2004) 419
Martinelli, M., see Melloni, A. 234 (2004) 211
Masajada, J., A. Popiołek-Masajada, E. Frączek and W. Frączek, Vortex points localization problem in optical vortices interferometry 234 (2004) 23
Matsukura, M., see Dittrich, P. 234 (2004) 131
Melloni, A., M. Martinelli, G. Cusmai and R. Siano, Experimental evaluation of ring resonator filters impact on the bit error rate in non return to zero transmission systems 234 (2004) 211
Millot, G., see Fatome, J. 234 (2004) 29
Milne, C., see Yang, S. 234 (2004) 385
Minamide, H., see Watanabe, Y. 234 (2004) 125
Mizutani, K., see Nagasawa, C. 234 (2004) 301
Montemezzani, G., see Dittrich, P. 234 (2004) 131

Nagasawa, C., D. Sakaizawa, H. Hara and K. Mizutani, Lasing characteristics of a CW Tm,Ho:YLF double cavity microchip laser 234 (2004) 301
Nakkeeran, K., see Tchofo Dinda, P. 234 (2004) 137
Naulleau, P.P., P.E. Denham, B. Hoef and S. Rekawa, A design study for synchrotron-based high-numerical-aperture scanning illuminators 234 (2004) 53
Nilsson, J., see Jeong, Y. 234 (2004) 315
Nöckel, J.U., see Foster, D.H. 234 (2004) 351
Nirmalathas, A., see Wen, Y.J. 234 (2004) 217

Olsen, M.K., see de Oliveira, F.D. 234 (2004) 235
Onofri, F., A. Lenoble, H. Bultynck and P.-H. Guéring, High-resolution laser diffractometry for the on-line sizing of small transparent fibres 234 (2004) 183

Paganin, D., T.E. Gureyev, K.M. Pavlov, R.A. Lewis and M. Kitchen, Phase retrieval using coherent imaging systems with linear transfer functions 234 (2004) 87
Pan, L., see He, Y. 234 (2004) 305
Pan, L. and B. Lü, Spectral switches of polychromatic Gaussian beams passing through an astigmatic aperture lens 234 (2004) 13
Pavlov, K.M., see Paganin, D. 234 (2004) 87
Pereira, S.F. and A.S. van de Nes, Superresolution by means of polarisation, phase and amplitude pupil masks 234 (2004) 119
Pitois, S., see Fatome, J. 234 (2004) 29
Popescu, V.A., Improving the accuracy of normalized propagation constant for waveguides by using higher-order variational method 234 (2004) 177
Popiołek-Masajada, A., see Masajada, J. 234 (2004) 23

Qi, B., P.A. Himmer, M.L. Gordon, V.X.D. Yang, D.L. Dickensheets and I.A. Vitkin, Erratum to "Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror" [Opt. Commun. 232 (2004) 123] 234 (2004) 443
Qi, H., see He, Y. 234 (2004) 305
Qin, L., see He, Y. 234 (2004) 305
Qiu, T., L.-S. Kuo and H.-C. Yeh, A novel type of fiber optic displacement sensor based on Gaussian beam interference 234 (2004) 163
Quan, C., see Tay, C.J. 234 (2004) 77

Röder, B., see Ermilov, E.A. 234 (2004) 245
Rekawa, S., see Naulleau, P.P. 234 (2004) 53
Roke, S., see Backus, E.H.G. 234 (2004) 407
Roux, F.S., Dynamics of an optical vortex dipole in a GRIN lens medium 234 (2004) 63

Sahu, J.K., see Jeong, Y. 234 (2004) 315
Sakaizawa, D., see Nagasawa, C. 234 (2004) 301
Sarma, A.K., see Kumar, A. 234 (2004) 427
Schleich, W.P., Publisher's note 234 (2004) 433
Schroeder, H. and S.L. Chin, Visualization of the evolution of multiple filaments in methanol 234 (2004) 399
Sheih, S.-J., see Adzir Mahdi, M. 234 (2004) 229
Shi, C.Z., see Zeng, N. 234 (2004) 153
Siano, R., see Melloni, A. 234 (2004) 211
Skarlatos, Y., see Karaalioğlu, C. 234 (2004) 269
Soh, D.B.S., see Jeong, Y. 234 (2004) 315
Stewart, G., see Zhang, Y. 234 (2004) 435
Sugimoto, Y., see Ichikawa, H. 234 (2004) 71
Sun, Y., see He, Y. 234 (2004) 305

Takekawa, S., see Dittrich, P. 234 (2004) 131
Tay, C.J., S.H. Wang, C. Quan, B.W. Lee and K.C. Chan, Measurement of a micro-solderball height using a laser projection method 234 (2004) 77
Tchofo Dinda, P., A. Labruyère and K. Nakkeeran, Theory of Raman effect on solitons in optical fibre systems: impact and control processes for high-speed long-distance transmission lines 234 (2004) 137
Tebaldi, M., N. Bolognini and L. Arizmendi, Fixing of speckle distribution recorded in $LiNbO_3$ crystals 234 (2004) 43
Tsai, S.W., see Chen, Y.F. 234 (2004) 309

van de Nes, A.S., see Pereira, S.F. 234 (2004) 119
Vitkin, I.A., see Qi, B. 234 (2004) 443

Wang, S.H., see Tay, C.J. 234 (2004) 77
Wang, S.H., see Zhong, Z.Q. 234 (2004) 7
Wang, L.W., see Zeng, N. 234 (2004) 153
Watanabe, Y., K. Kawase, T. Ikari, H. Ito, Y. Ishikawa and H. Minamide, Component analysis of chemical mixtures using terahertz spectroscopic imaging 234 (2004) 125
Wen, Y.J. and A. Nirmalathas, Impact of optical pulse shape on the performance of Long-Haul high capacity DWDM systems 234 (2004) 217

Xi, J., see Li, E.B. 234 (2004) 329

Yang, V.X.D., see Qi, B. 234 (2004) 443
Yang, K., see Li, G. 234 (2004) 321
Yang, S., R. Hua, C. Milne, B. Bruner and R.J. Dwayne Miller, Multipass Ti:sapphire amplifier based on a parabolic mirror 234 (2004) 385
Yang, B., see Zheng, Y. 234 (2004) 107
Yavuz, D.D., Elimination of Feshbach loss in a Bose–Einstein condensate 234 (2004) 253
Yeh, H.-C., see Qiu, T. 234 (2004) 163
Youqing, W., see Yuanying, C. 234 (2004) 1
Yuanying, C., W. Youqing, H. Jin and L. Jiarong, An eigenvector method for optical field simulation 234 (2004) 1

Zeng, N., C.Z. Shi, M. Zhang, L.W. Wang, Y.B. Liao and S.R. Lai, A 3-component fiber-optic accelerometer for well logging 234 (2004) 153
Zhang, M., see Zeng, N. 234 (2004) 153
Zhang, Y., M. Zhang, W. Jin, H.L. Ho, M.S. Demokan, X.H. Fang, B. Culshaw and G. Stewart, Investigation of erbium-doped fiber laser intra-cavity absorption sensor for gas detection 234 (2004) 435
Zhang, M., see Zhang, Y. 234 (2004) 435
Zhang, X., see Zheng, Y. 234 (2004) 107
Zhao, S., see Li, G. 234 (2004) 321
Zhao, H., see Li, G. 234 (2004) 321
Zheng, Y., X. Zhang, L. Chen and B. Yang, Analysis of degree of polarization ellipsoid as feedback signal for polarization mode dispersion compensation in NRZ, RZ and CS-RZ systems 234 (2004) 107
Zhong, Z.Q., J. Hua, J. Zhou and S.H. Wang, Two-output beam splitter with continuously adjustable splitting ratio based on phase grating 234 (2004) 7
Zhou, J., see Zhong, Z.Q. 234 (2004) 7
Zhou, G., see Li, L. 234 (2004) 169

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Optics Communications 234 (2004) 451–454
OPTICS COMMUNICATIONS
www.elsevier.com/locate/optcom

# Subject index to volume 234

*Propagation and scattering*

C. Yuanying, W. Youqing, H. Jin and L. Jiarong, An eigenvector method for optical field simulation 1

Z.Q. Zhong, J. Hua, J. Zhou and S.H. Wang, Two-output beam splitter with continuously adjustable splitting ratio based on phase grating 7

L. Pan and B. Lü, Spectral switches of polychromatic Gaussian beams passing through an astigmatic aperture lens 13

J. Masajada, A. Popiołek-Masajada, E. Frączek and W. Frączek, Vortex points localization problem in optical vortices interferometry 23

J. Fatome, S. Pitois and G. Millot, Influence of third-order dispersion on the temporal Talbot effect 29

T.G. Mackay and A. Lakhtakia, A limitation of the Bruggeman formalism for homogenization 35

M. Tebaldi, N. Bolognini and L. Arizmendi, Fixing of speckle distribution recorded in $LiNbO_3$ crystals 43

P.P. Naulleau, P.E. Denham, B. Hoef and S. Rekawa, A design study for synchrotron-based high-numerical-aperture scanning illuminators 53

F.S. Roux, Dynamics of an optical vortex dipole in a GRIN lens medium 63

H. Ichikawa and Y. Sugimoto, Electromagnetic numerical characterisation of a microfresnel lens of millimetre size for a CWDM device 71

*Optical information, image formation and analysis, optical computing*

C.J. Tay, S.H. Wang, C. Quan, B.W. Lee and K.C. Chan, Measurement of a micro-solderball height using a laser projection method 77

D. Paganin, T.E. Gureyev, K.M. Pavlov, R.A. Lewis and M. Kitchen, Phase retrieval using coherent imaging systems with linear transfer functions 87

Y. Zheng, X. Zhang, L. Chen and B. Yang, Analysis of degree of polarization ellipsoid as feedback signal for polarization mode dispersion compensation in NRZ, RZ and CS-RZ systems 107

S.F. Pereira and A.S. van de Nes, Superresolution by means of polarisation, phase and amplitude pupil masks 119

doi:10.1016/S0030-4018(04)00281-0

Y. Watanabe, K. Kawase, T. Ikari, H. Ito, Y. Ishikawa and H. Minamide, Component analysis of chemical mixtures using terahertz spectroscopic imaging 125

P. Dittrich, G. Montemezzani, M. Habu, M. Matsukura, S. Takekawa, K. Kitamura and P. Günter, Sub-millisecond interband photorefraction in magnesium doped lithium tantalate 131

*Optical communications*

P. Tchofo Dinda, A. Labruyère and K. Nakkeeran, Theory of Raman effect on solitons in optical fibre systems: impact and control processes for high-speed long-distance transmission lines 137

N. Zeng, C.Z. Shi, M. Zhang, L.W. Wang, Y.B. Liao and S.R. Lai, A 3-component fiber-optic accelerometer for well logging 153

T. Qiu, L.-S. Kuo and H.-C. Yeh, A novel type of fiber optic displacement sensor based on Gaussian beam interference 163

L. Li, Z. Li, S. Li and G. Zhou, Modulation instability and solitons on a cw background in inhomogeneous optical fiber media 169

V.A. Popescu, Improving the accuracy of normalized propagation constant for waveguides by using higher-order variational method 177

F. Onofri, A. Lenoble, H. Bultynck and P.-H. Guéring, High-resolution laser diffractometry for the on-line sizing of small transparent fibres 183

Y. Kominis and K. Hizanidis, Continuous wave-controlled shape and chirp oscillations of optical solitons 193

N.Y. Gordeev, K.J. Gordon and G.S. Buller, Tunable electro-optic polarization modulator for quantum key distribution applications 203

A. Melloni, M. Martinelli, G. Cusmai and R. Siano, Experimental evaluation of ring resonator filters impact on the bit error rate in non return to zero transmission systems 211

Y.J. Wen and A. Nirmalathas, Impact of optical pulse shape on the performance of Long-Haul high capacity DWDM systems 217

M. Adzir Mahdi and S.-J. Sheih, Gain-flattened extended L-band EDFA with 43 nm bandwidth suitable for high signal powers 229

*Atomic and molecular physics*

F.D. de Oliveira and M.K. Olsen, Mean field dynamics of Bose–Einstein super-chemistry 235

E.A. Ermilov, S. Al-Omari, M. Helmreich, N. Jux, A. Hirsch and B. Röder, Steady-state and time-resolved studies on the photophysical properties of fullerene–pyropheophorbide *a* complexes in polar and nonpolar solvents 245

D.D. Yavuz, Elimination of Feshbach loss in a Bose–Einstein condensate 253

*Condensed matter*

A. Czajkowski, A.A. Madej and P. Dubé, Development and study of a 1.5 μm optical frequency standard referenced to the P(16) saturated absorption line in the $(\nu_1 + \nu_3)$ overtone band of $^{13}C_2H_2$ 259

C. Karaalioğlu and Y. Skarlatos, Measurement of thin film thickness by electronic speckle pattern interferometry 269

*Quantum optics*

H.-y. Fan, N.-q. Jiang and H.-l. Lu, A new representation for two-mode squeezed states 277

M.A. Antón, F. Carreño and O.G. Calderón, Squeezing spectra in a V-type three-level atom interacting with a broadband squeezed field 281

E.S. Guerra, On the complementarity principle and the uncertainty principle 295

*Laser physics and laser sources*

C. Nagasawa, D. Sakaizawa, H. Hara and K. Mizutani, Lasing characteristics of a CW Tm,Ho:YLF double cavity microchip laser 301

Y. He, X. Hou, L. Qin, Y. Sun, Y. Li, H. Qi and L. Pan, Laser-diode pumped passively Q-switched Nd:$Y_xGd_{1-x}VO_4$ laser with a GaAs saturable absorber 305

Y.F. Chen, Y.P. Lan and S.W. Tsai, High-power diode-pumped actively Q-switched Nd:YAG laser at 1123 nm 309

Y. Jeong, J.K. Sahu, S. Baek, C. Alegria, D.B.S. Soh, C. Codemard and J. Nilsson, Cladding-pumped ytterbium-doped large-core fiber laser with 610 W of output power 315

G. Li, S. Zhao, H. Zhao, K. Yang and S. Ding, Rate equations and solutions of a laser-diode end-pumped passively *Q*-switched intracavity doubling laser by taking into account intracavity laser spatial distribution 321

E.B. Li, J. Xi and J.F. Chicharo, Characteristics of a UV beam generated by a frequency doubled Ar-ion laser 329

Y.F. Chen, Y.C. Chen, S.W. Chen and Y.P. Lan, High-power efficient diode-pumped passively Q-switched Nd:$YVO_4$/KTP/$Cr^{4+}$:YAG eye-safe laser 337

J.Z. Kamiński and F. Ehlotzky, Optimized X-ray generation by electron–ion recombination in the presence of powerful laser fields 343

D.H. Foster and J.U. Nöckel, Methods for 3-D vector microcavity problems involving a planar dielectric mirror 351

S. Yang, R. Hua, C. Milne, B. Bruner and R.J. Dwayne Miller, Multipass Ti:sapphire amplifier based on a parabolic mirror 385

A. Gusarov and F. Liegeois, Experimental study of a tunable fiber ring laser stability 391

H. Schroeder and S.L. Chin, Visualization of the evolution of multiple filaments in methanol 399

*Nonlinear optics*

E.H.G. Backus, S. Roke, A.W. Kleyn and M. Bonn, Cascading second-order versus direct third-order nonlinear optical processes in a uniaxial crystal 407

K. Jamshidi-Ghaleh and N. Mansour, Nonlinear refraction measurements of materials using the moiré deflectometry 419

A. Kumar and A.K. Sarma, Soliton switching in a Kerr coupler with coupling constant dispersion: a variational analysis 427

*Errata*

W.P. Schleich, Publisher's note 433

Y. Zhang, M. Zhang, W. Jin, H.L. Ho, M.S. Demokan, X.H. Fang, B. Culshaw and G. Stewart, Investigation of erbium-doped fiber laser intra-cavity absorption sensor for gas detection 435

B. Qi, P.A. Himmer, M.L. Gordon, V.X.D. Yang, D.L. Dickensheets and I.A. Vitkin, Erratum to "Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror" [Opt. Commun. 232 (2004) 123] 443

# Vol. 234
# Contents

# 2004